



## 4. First Aid Measures

### 4.1 Symptoms of Exposure by Route

**Ingested:** Unlikely to occur, product is a coated solid wire.

**Eyes** Fragments or aerosol will cause eye irritation. Hot fragments may cause corneal burns.

**Skin** Burns will result from contact with hot wire while, or immediately after, welding.

**Inhaled** Prolonged or repeated exposure to fumes from welding may have adverse health effects.

### 4.2 First Aid Instructions

**Ingested** Do not induce vomiting unless following medical directions. Rinse mouth out with water. Give water to drink. If symptoms persist seek prompt medical assistance.

**Eyes** Hold eyelids open and flush eyes with clean water for 15 minutes. Hold eyelids open and away from eye to ensure that the inside of the lids are carefully flushed clean. If symptoms persist or corneal damage is present seek prompt medical advice.

**Skin** Remove contaminated clothing (under deluge shower if necessary). Wash affected area for 10 minutes with soap and water. Do not rub hard. Rinse well for a further 5 minutes and pat dry. If symptoms persist seek prompt medical advice.

**Inhaled** Remove patient to fresh air. Loosen tight clothing and allow to rest. Treat for shock if required. Rinse mouth and nose with water. Provide artificial respiration if breathing stops. Unless recovery is prompt seek **urgent** medical advice.

**First Aid Facilities** Provide normal industrial first aid facilities including eyewash stations and deluge showers, where appropriate, close to the area where product is in use.

**Notes to Physician** (for symptoms of over-exposure to this product see above)

#### Possible symptoms of Chronic Health Effects

No data relevant to product was found.

#### Possible aggravated pre-existing conditions

No data relevant to product was found.

#### Suggested treatment for acute symptoms, known antidotes

Provide supportive care and treatment based on the patient's reactions to the exposure. For further information contact the:

**POISONS INFORMATION CENTRE 11 13 26**

## 5. Fire Fighting Measures

### 5.1 Flammability and Explosion Hazards

Product is not flammable.

### 5.2 Hazardous Combustion Products

Welding or destruction by fire produces fumes containing tungsten vapours.

### 5.3 Suitable Extinguishing Media

Use dry chemical suitable for metallic fires.

Hazchem Code: n.all.

### 5.4 Precautions for Fire Fighters and Special Equipment

Wear SCBA and normal turn out clothing.

## 6. Accidental Release Measures

### 6.1 Emergency Procedures – Spills and Leaks (See Section 13 for disposal considerations)

Prevent product entering drains or waterways. Sweep up or collect product and return to store if serviceable. Unserviceable product should be recovered or placed in suitable waste receptacles ready for disposal.

## 7. Handling and Storage

### 7.1 Handling Advice

Wear suitable protective clothing for the task.

### 7.2 Storage Advice

Store in a cool, dry and well-ventilated area. Keep in an area where the minimum amount of pedestrian traffic takes place. Keep away from foodstuff and foodstuff empties. Avoid unnecessary handling to minimise exposures.

## 8. Exposure Controls/ Personal Protection

### 8.1 Exposure Standards

The ASCC has not set an exposure standard for the product. The fumes arising from welding have an Exposure Standard of:

<i>Substance</i>	<i>TWA</i>	<i>STEL</i>
Welding fumes (Must be measured inside welder's helmet)	5 mg/m <sup>3</sup>	n.est.

### 8.2 Engineering Control Methods

Provide local exhaust fume extractors and ventilators capable of maintaining the workplace below the exposure limits.

### 8.3 Personal Protective Equipment

#### Respiratory Protection

Take normal welding precautions

#### Eye Protection

Wear welder's helmet.

#### Gloves

Wear thermal protective gloves to AS 2161 while welding.

#### Clothing

Wear thermal protective apron if engaged on welding work. If not welding, wear Tyvec or cotton coveralls fastened at the neck and wrists.

## 9. Physical and Chemical Properties

<b>Appearance</b>	Metal grey solid wire	<b>Odour</b>	Odourless
<b>Melting Point</b>	3680°K	<b>Boiling Point</b>	5828°K
<b>Specific Gravity</b>	19.2 g/cm	<b>Flammability Limits</b>	n.a.
<b>Flash Point</b>	n.a.	<b>Vapour Density</b>	n.d.
<b>Vapour Pressure</b>	n.d.	<b>AS1940 Class</b>	n.a.
<b>Solubility (H<sub>2</sub>O)</b>	<b>Insoluble</b>		
<b>Other Properties</b>	None relevant		

## 10. Stability and Reactivity

During normal handling and use the product is stable.

## 11. Toxicological Information

No data relevant to product as sold was found.

## 12. Ecological Considerations

Will not biodegrade. Do not dispose of into water or standard waste facilities.

## 13. Disposal Considerations

Disposal must be in accordance with local regulations for hazardous wastes.

## 14. Transport Information

No DG regulatory requirements apply to the transport of this product.

## 15. Regulatory Information

Label in accordance with the "National Code of Practice for the Labelling of Workplace Substance" [ASCC: 2012 (1994)] with the word HAZARDOUS. A list of ingredients must be displayed on the label using the names given on page one of this MSDS.

## 16. Other Information

### Disclaimer

No representative of IWWS any other person has the authority to alter or amend this MSDS or the information contained therein without the prior approval of SSC Pty Ltd. Any alterations render this document invalid. The information presented in this MSDS is believed by Independent Wholesale Welding Supply to be accurate at the date shown and in accordance with information available to the Company. The circumstances and methods of using, handling, transporting or storing the material are beyond our control and persons using, handling, transporting or storing the product do so at their own risk. Independent Wholesale Welding Supply and SSC Pty Ltd accept no liability for damage or injury arising from the use of the information contained herein.

**Date of Issue: 7/12/2006**

New MSDS (Version 1.) to comply with National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition NOHSC: 2011 (2003).

**Data Sources used:** in the preparation of this MSDS include: "Chempendium" and "MSDS plus Cheminfo" published in CD format by CCOHS Canada 2005 - 4."TOMES" a CD database published by Micromedex, USA, "Hazardous Properties of Industrial Materials" Van Nostrand Reinhold NY, USA . "List of Designated Hazardous Substances" NOHSC 10005:1999, "National Exposure Standards" NOHSC 1003:1995 . **Abbreviations used:** n.d = not determined, n.a = not applicable, n.all =not allocated, SUSDP=Standard for the Uniform Scheduling of Drugs and Poisons, ADG=Australian Dangerous Goods Code, IATA =International Air Transport Association, (Dangerous Goods Regulations), IMDG=International Maritime Dangerous Goods (Code), ASCC=Australian Safety and Compensation Council. IARC=International Agency(for) Research (of) Cancer.