




**GET YOUR  
WELDING  
WIRE  
TO THE  
FEEDER...  
FAST AND EASY**



Dome 20 is best suited for applications where constant flexing is required. The QCC series of conduits are ideal for use on automation and semi automatic systems, such as Manipulators, Gantries, Seam Trackers, and Robotic installations



**DOME20- 20 inch Dome**



**PART NUMBERS FOR CONDUIT**  
 QCC-36, QCC-72, QCC-108, QCC-180, QCC-300



**flange wizard® tools**



## MAGNETIC TAPE HOLDER

Machined from aluminum and anodized for a protective finish.

A strong 25 pound pull magnet set in epoxy secures the tape holder to your work. There is a rare earth magnet at one end of the tool to hold your tape measure in place while laying out difficult jobs.



**89754W**

## PRO LEVEL POCKET

The pro level pocket is one of the finest levels available in the welding industry today. The two stationery vials are placed at 90° angles of each other and can be read from any surface of the level. If these vials are damaged, just remove the old vial and replace it with a new one, then seal it with silicone.

The pro level pocket is only 9" long and 1.5" wide for easy handling and storage.



**PP200W**

## MULTI-HOLE IMAGER



**65007W**

The Multi-Hole Imager is Flange Wizard® Tools' newest layout tool. The strong "on and off" magnet makes positioning on a round, flat, or irregular surface easy. A "bull's eye" circular leveling vial is built in the main tower of the Multi-Hole Imager to assist in leveling the tool as required.



## NOZZLE GEL

PREVENTS SPATTER BUILD UP  
MIG Gun nozzles and tips, positioners  
and fixtures compatible with all known  
processes of semi and automatic  
welding equipment.

.....01112- LNG-16 Nozzle Gel (Blue)


**FOR MORE  
GREAT PRODUCTS  
VISIT US AT  
www.iwws.net**



*Accurate indication. Reliable results.™*



- Contains NO solvents and NO ODC'S
- Permanently marks metals, plastic, wood, cardboard, glass, and most other surfaces-even wet or oily.
- It is non-hazardous, non-flammable and environmentally safe.
- Available in 4 bright lead-free colors.
- Tip is washable, cant dry out.
- Simply shake well, gently depress tip until saturated with paint. There is no ball point to freeze.
- It is waterproof and quick drying



## SUMNER TABLE ROLLERS

**15% OFF**

- ✓ Roller adjustment from either side
- ✓ Bronze bearing to eliminate arcing
- ✓ Break to lock loads for lay-out or fit-up
- ✓ Fast adjustment for easy pipe positioning
- ✓ Clean and simple design avoids welder interference
- ✓ Wheels trued for true pipe rotation
- ✓ Handle large enough to work with gloved hand



780361

## WIDE VIEW HELMET



- Big window passive welding helmet
- Lightweight, durable
- Washable thermoplastic shell
- Hard hat adaptable using Roto-clip
- Meets ANSI Z87.1 and CSA Complaint

..... 951-P

## LPG POWER BURNERS

Power Burner Kit includes:

- LPGPB 50mm Burner
- LPG Regulator
- LPG Hose x 5 metres (5mm)
- Spark Lighter



### 50mm Burner

Flame Length: 600mm  
MJ/HR: 168MJ @ 200KPA LPG  
Gas Consumption: 3.3 KG/HR


## FLAME TECH®

Scrapper cutting tips are of a completely new design to increase productivity. The heavy duty design assures safety, more productive cutting, extremely long tip life and economy of use.



C-SCRAP24

## STRAIGHT LINE CUTTER



Portable Driven Straight Line Cutting Machine For Oxy/Fuel Cutting

- 2 or 3 Seat Tip Styles Available
- 1 or 2 Torch Configurations
- Acetylene or LPG Fuel Gas
- Compact Design
- Simple Operation
- All Gas Connections Standard 5/8-18UNF R/H & L/H

- SCIK12** - Cutting Machine 3 Seat Koike
- SCIK12-2S** - Cutting Machine 2 Seat Cigweld
- SCIK12TWO** - Cutting Machine 2 Torch 3 Seat

**15% OFF CUTTERS**

Portable Manual Pipe Cutting/Bevelling Machine for Oxy/Fuel Gases

- 2 Seat Tip (Type 41&44)
- Straight or Bevel Cutting of Steel Pipe
- Manual Operation, No Power Required, Great for Field Use
- Dependable Smooth Worm Geat Drive
- Simple Operation
- Gas connections Standard 5/8-18UNF R/H & L/H Fittings
- Interlocking Chain Links For Easy Adjustment
- 150-600mm Pipe Diameter

## PIPE CUTTER



PC-12- Pipe Cutting Machine



## WELDING POSITIONERS

Will hold 409kgs in the horizontal position and 227kgs in the vertical position

Note: C/G of load not to be more than 150mm from the centre of the turntable and 150mm from the face of the turntable.



**WP500-2**

Designed for rotation of lighter pieces.

Will hold 200kgs in the horizontal position and 113kgs in the vertical position Note: C/G of load not to be more than 100mm from the centre of the turntable and 100mm from the face of the turntable.



**WP250-2**

## GOUGING TORCHES

### Standard Features



- ✓ Unique valve design
- ✓ Special high impact, heat resistant material
- ✓ Special hard copper alloy body w/excellent electrical conductivity

- ✓ Easy field repair
- ✓ Available w/7' swivel or non-swivel cable assembly
- ✓ Optional 12' swivel cable assembly available



## PORTABLE INDUSTRIAL WIRE FEEDER



**K2613-1C  
K2613-1S**

The LN 25 PRO is designed to be simple, reliable and easy to service and ideal for field construction and fabrication, shipyards, and rental companies.

- Analog Voltmeter with polarity indicator LED automatically adjusts to welding polarity
- Non-linear wire feed speed gives single range control, yet maintains sensitivity with low wire feed speed
- Sturdier and rugged spindle design with an incorporated brake
- Lightweight, impact and flame resistant polycarbonate case design keeps the internal components protected
- Potted and trayed PC board protects against moisture and corrosion
- Reel locking mechanism eliminated spindle cross threading
- Case can be replaced in less than 5 minutes - eliminates downtime

# BONUS

With all LN25PRO-PKG purchased you get the option of either a 1260-15 AEC Flux Cored Gun or HD45011615 Heavy Duty 450amp Mig Gun. Plus either a PXP1697-116C 1.6mm Cored Drive Roll or PXP1696-116S 1.6mm Solid Drive Roll